









PCX 12/36 & 13/40 PLATE COMPACTORS





FEATURES & BENEFITS

- Foldable mounted guide handle offers superior manoeuvrability and can be lowered to operate under obstacles and close to form work.
- Reinforced centrifugal clutch ensures longer belt life, and simplified belt adjustment.
- Lifting points and front lift cage offer easier loading and unloading for operator convenience.
- Large 9.5 litre water tank is built into the protective frame.
- Angled holes on spray bar allow complete water coverage over the full width preventing any asphalt pick-up on plate bottom.
- The spraybar is fully protected from damage, easily positioned, with integral paving pad clamp points.
- Life lubricated vibration bearings.



WATER SPRAY KIT OPTION **AVAILABLE**



WHEEL KIT OPTION AVAILABLE

TECHNICAL SPECIFICATIONS

Model
Plate Width
Plate Length
Centrifugal Force
Travel Speed

Vibration level Noise Level

Model

N A - -I - I

Part No. **Engine Power** Weight Static Pressure

PCX 12/36

(mm) 360 (mm) 720 (kN) 12 20 (m/min) (m/sec^2) 4.74 (dB(A)105

PCX 12/36 - GX120

FC3600E (Hp/kW) 4/381 (kg) (kg/m^2) 586

Model

Plate Width Plate Length Centrifugal Force Travel Speed Vibration level Noise Level

Model

Part No. **Engine Power** Weight Static Pressure

Model

Part No. **Engine Power** Weight Static Pressure

PCX 13/40

(mm) 400 606 (mm) (kN) 13 (m/min) 20 (m/sec²) 3.20 (dB(A) 105

PCX 13/40 - GX120

FC4000E (Hp/kW) 4/383.5 (kg) (kg/m^2) 519

PCX 13/40 - GX160

FC4020E (Hp/kW) 5.5/4 85.5 (kg) (kg/m^2) 518

Options

OPP/65/DIO PCX 12/36 Block Paving Pad PCX 13/40 Block Paving Pad OPP/66/DIO PCX 12/36 & 13/40 Wheel Kit OPP/74/DIO

OPP/70S/DIO OPP/71S/DIO

PCX 12/36 Water Spray Kit PCX 13/40 Water Spray Kit



ALTRAD BELLE Sheen, Nr. Buxton, Derbyshire, SK17 OEU, GB Tel. +44 (0)1298 84606 - Fax +44 (0)1298 84722 - Email: sales@altrad-belle.com www.Altrad-Belle.com www.ALTRAD-Belle247.com

